



151012050432

# 无锡市新环化工环境监测站

## 检测 报 告

### Monitoring Test Report

( 2019 ) 环 检 ( QZ ) 字 第 ( 19091208-3 ) 号

( 噪 声 )

#### Noise Monitoring Report

检测类别

Project Type

委托检测

委托单位

Client Name

盛隆资源再生(无锡)有限公司



二〇一九年九月十六日

# 检测报告说明

(Test report description)

- 一、对本报告检测结果如有异议者，请于收到报告之日起十天内向本站提出，逾期不予受理；  
If there is any objection to the test results of this report, please submit it to the site within 10 days from the date of receipt of the report.
- 二、报告需经批准人签字，并加盖本站检验检测专用印章及骑缝章，否则报告无效；  
The report shall be signed by the approver and stamped with the special seal for inspection and testing and stamped at the place where the pages meet when it is over two pages, otherwise the report shall be invalid.
- 三、本报告只对本站采集的样品的检测结果负责，对委托送检的样品仅对送检样品的检测结果负责；  
This report is only responsible for the test results of the samples collected by this station. The samples submitted for inspection are only responsible for the test results of the samples submitted.
- 四、未经本站书面批准，不得增删涂改或复制检测报告，经同意复制的检测报告应全文复制并加盖本公司检验检测专用章后方有效；  
The test report shall not be added or deleted without the written approval of the site, and the test report approved by the copy shall be valid after copying and stamping the company's special inspection certificate.
- 五、本报告未经同意不得用于仲裁。如申请仲裁检测，客户须特别说明；  
This report may not be used for arbitration without consent. If applying for arbitration testing, the client must specify.
- 六、检测结果“ND”表示低于方法检出限，同时给出方法检出限。若检测结果高于检出限时，直接报告结果；  
The test result "ND" indicates that the method detection limit is lower than the method detection limit. If the test result is higher than the limits, results should be reported directly.
- 七、本报告涂改无效。  
This report is invalid after being altered..

## 无锡市新环化工环境监测站

### 噪声检测报告

委托单位 Client Name	盛隆资源再生(无锡)有限公司		地址	无锡市新区梅育路 103 号	
联系人 Contact names	张义根	电话	15061873029	邮 编	214028
检测目的 Monitoring Objectives	委托检测		检测日期 Test Date	2019 年 9 月 12 日 13:10-14:07 22:01-23:07	
检测内容 Monitoring Content	工业企业厂界环境噪声, 昼间 1 次、夜间 1 次				
检测仪器 Monitoring Equipment	AWA6228B 型噪声统计分析仪		编号: SX011		
	AWA6221B 型噪声校准器		编号: SX003		
	FYF-1 便携式风向风速仪		编号: LX055		
检测气象条件 Monitoring Meteorology Condition	昼间: 天气: 晴 风向: 东风 风速: 2.4m/s 夜间: 天气: 晴 风向: 东风 风速: 2.6m/s				
测量工况与噪声源情况 Monitoring Condition and Noise Level	企业生产正常, 共 2 台冷却塔, 开 2 台冷却塔。				
检测人员 Monitoring Personal	樊嘉辉 张昌鹏				
技术说明 Monitoring Instruction	《工业企业厂界环境噪声排放标准》(GB12348-2008)				
检测结果 Monitoring Results	见(1)检测结果统计表				
检测点位 Monitoring Location	见图 1				
结 论 Monitoring Summary	依据《工业企业厂界环境噪声排放标准》GB12348-2008 和《无锡市声环境功能区建设与管理实施方案》, 该地区执行 3 类标准。本次检测期间, 该企业生产正常, 检测结果表明, 该企业厂界昼、夜间环境噪声均达标。				

下  
境  
用

编制  
Prepared By 马小亚

复核  
Checked By 马 黎

审核  
Verified By 马小亚

签发  
Issued By 朱江芳

检测单位公章  
Official Seal



签发日期  
Date 2019年9月16日

## 噪声检测结果

(1) 检测结果统计表

检测日期	检测点位	点位名称	时段	检测结果	时段	检测结果	《工业企业厂界环境噪声标准》 GB12348-2008 3类标准	评价	主要噪声源
				Leq(dB(A))		Leq(dB(A))			
2019年 9月12日	1#	东厂界外 1#1米	昼间	56.2	夜间	51.9	昼间 65 夜间 55	达标	/
	2#	东厂界外 2#1米	昼间	62.3	夜间	53.4			/
	3#	南厂界外 3#1米	昼间	55.3	夜间	52.1			/
	4#	南厂界外 4#1米	昼间	54.8	夜间	51.7			/
	5#	西厂界外 5#1米	昼间	55.1	夜间	51.8			/
	6#	西厂界外 6#1米	昼间	53.3	夜间	50.7			/
	7#	北厂界外 7#1米	昼间	52.7	夜间	51.3			/
	8#	北厂界外 8#1米	昼间	53.4	夜间	51.7			/

图 1 检测点位示意图

