



211012342335

编号: XHJL-BG-05

无锡市新环化工环境监测站

检 测 报 告

Monitoring Test Report

(2022)环检(QZ)字第(22050501-2)号

(环境空气)

Environment Gas Monitoring Report

检测类别
Project Type 委托检测

委托单位
Client Name 盛隆资源再生(无锡)有限公司

二〇二二年五月七日

检测报告说明

(Test report description)

一、对本报告检测结果如有异议者,请于收到报告之日起十天内向本站提出,逾期不予受理;
If there is any objection to the test results of this report, please submit it to the site within 10 days from the date of receipt of the report.

二、报告需经批准人签字,并加盖本站检测专用印章及骑缝章,否则报告无效;
The report shall be signed by the approver and stamped with the special seal of the station and stamped at the place where the pages meet when it is over two pages, otherwise the report shall be invalid.

三、本报告只对本站采集的样品的检测结果负责,对委托送检的样品仅对送检样品的检测结果负责;
This report is only responsible for the test results of the samples collected by this station. The samples submitted for inspection are only responsible for the test results of the samples submitted.

四、未经本站书面批准,不得增删涂改或复制检测报告,经同意复制的检测报告应全文复制并加盖本公司检测专用章后方有效;
The test report shall not be added or deleted without the written approval of the site, and the test report approved by the copy shall be valid after copying and stamping the company's special inspection certificate.

五、本报告未经同意不得用于仲裁。如申请仲裁检测,客户须特别说明;
This report may not be used for arbitration without consent. If applying for arbitration testing, the client must specify.

六、检测结果“ND”表示低于方法检出限,同时给出方法检出限。若检测结果高于检出限时,直接报告结果;
The test result "ND" indicates that the method detection limit is lower than the method detection limit. If the test result is higher than the limits, results should be reported directly.

七、本报告涂改无效。
This report is invalid after being altered.

(2022)环检(QZ)字第(22050501-2)号

页码(Page):第3页共6页

无锡市新环化工环境监测站

环境空气检测报告

委托单位 Client Name	盛隆资源再生(无锡) 有限公司		地址 Address	无锡市新区梅育路103号	
联系人 Contact Names	张义根	电话 Phone Number	15061873029	邮编 Zip code	214028
检测点 Monitoring Location	1#、2#、3#、4#厂界环境空气				
检测仪器及编号 Equipment Numbers	见(2)检测依据和所用设备				
测试日期 Monitoring Date	2022.5.5	工况 Monitoring Condition		正常	
采样人员 Monitoring Samples Collectors	潘宸、王沛、 华恺、殷祖健		分析人员 Monitoring Analysis	潘宸	
检测目的 Monitoring Objectives	委托检测				
检测内容 Monitoring Content	总悬浮颗粒物				
样品状态 Monitoring Samples condition	总悬浮颗粒物样品为滤膜，样品完好				
检测结果 Monitoring Results	见(1)检测结果统计表				
技术说明 Monitoring Instruction	见(2)检测依据和所用设备				
结论 Monitoring Summary	详见数据				
编制 Prepared By	<u>邹尚房</u>				
复核 Checked By	<u>浦振华</u>				
审核 Verified By	<u>马小燕</u>				
签发 Issued By	<u>朱江芳</u>				
检测单位公章 Official Seal					
签发日期 Date	2022年5月7日				

主要参数与测试结果


(1) 检测结果统计表

点位	统计项目	总悬浮颗粒物
1#-1	一小时平均浓度值 mg/m ³ (参比状态)	0.145
1#-2	一小时平均浓度值 mg/m ³ (参比状态)	0.147
1#-3	一小时平均浓度值 mg/m ³ (参比状态)	0.148
2#-1	一小时平均浓度值 mg/m ³ (参比状态)	0.162
2#-2	一小时平均浓度值 mg/m ³ (参比状态)	0.159
2#-3	一小时平均浓度值 mg/m ³ (参比状态)	0.161
3#-1	一小时平均浓度值 mg/m ³ (参比状态)	0.165
3#-2	一小时平均浓度值 mg/m ³ (参比状态)	0.167
3#-3	一小时平均浓度值 mg/m ³ (参比状态)	0.166
4#-1	一小时平均浓度值 mg/m ³ (参比状态)	0.164
4#-2	一小时平均浓度值 mg/m ³ (参比状态)	0.159
4#-3	一小时平均浓度值 mg/m ³ (参比状态)	0.162
标准限值		1.0
备注:	1#为上风向参考点, 2#、3#、4#为下风向监控点。 无组织颗粒物排放浓度参照 GB16297-1996《大气污染物综合排放标准》表 2 中无组织排放监控浓度限值标准, 参照标准由委托单位提供。	

废气 (无组织) 气象参数

检测时间	天气	风向	风速 (m/s)	气压 (kpa)	气温 (°C)	湿度 (%)
8:00-9:00	晴	东风	2.1	101.1	26	55
10:00-11:00	晴	东风	1.9	101.2	26	52
12:00-13:00	晴	东风	1.9	101.1	25	49

环境空气检测点位分布图



○----表示检测点位

(2) 检测依据和所用设备

序号	检测项目	检测分析方法	仪器名称及型号	管理编号	检出限
1	总悬浮颗粒物	环境空气 总悬浮颗粒物的测定 重量法 GB/T15432-1995 及修改单(生态环境部公告 2018 第 31 号)	电子天平 AL104/00	LX001	0.001 mg/m ³

序号	检测类别	检测采样方法	检测仪器名称及型号	管理编号
1	有组织废气	大气污染物无组织排放监测技术导则 HJ/T55-2000	综合大气采样器 KB-6120 型	LX074 LX075 LX076 LX077
			FYF-1 便携式风向风速仪	LX056
			DYM3 型空气压力表	LX053

以下空白